



PHIFER
INCORPORATED

Re: SheerWeave 7500

PHIFER INCORPORATED (Tuscaloosa, Alabama) certifies that the material referenced above complies with the standards listed below:

1. Flammability per California Administrative Code, Title 19, Public Safety, Section 1237.1, Flame Resistance Small Scale Test. (California Registration F-87601)
2. National Fire Protection Association, NFPA No. 101, "Life Safety Code", Class "A" rating. (Tested in accordance to ASTM E84.)
FLAME SPREAD INDEX = 10 SMOKE DEVELOPED VALUE = 200
3. International Building Code (IBC), Section 803.1.1.1, (Tested in accordance to ASTM E84), Class "A" rating.
4. NFPA 701 TM #1, Standard Methods of Fire Test for Flame Propagation of Textiles and Films, 2023 Edition (Test 1, Small Scale).
5. BS EN ISO 15025, as cited by BS 5867-2 — British Standard Specification for Fabrics for curtains, drapes and window blinds, Part 2.
6. CAN/ULC-S109-14 Standard for Flame Tests of Flame-Resistant Fabrics & Films Small Flame Test.
7. CAN/ULC-S109-14 Standard for Flame Tests of Flame-Resistant Fabrics & Films Large Flame Test, Folded Specimens.
8. CAN/CGSB2-4.162-M80, as specified by Canadian General Standards Board (CGSB), National Standard of Canada, CAN2-4.162-M80 "Hospital Textiles Flammability Performance Requirements.

If you have any questions or need further information, please contact me at 1-800-633-5955 Ext. 3075.

Sincerely,

PHIFER INCORPORATED

Keith Euerle

Director, Specialty Textiles Testing and Analysis

*Testing was performed by a 3rd party certified laboratory on samples representing products listed.

Expires: 2/08/2024