


# POLAR SHADES sun control

| ··· FR Morelle (LF)/(BO) ··· |

A 100% polyester fabric, Morelle is offered in the same classic colors in both light-filtering and blackout aesthetic styles. This allows for the versatility of using both a privacy fabric that provides natural daylighting and a blackout fabric that provides complete privacy while maintaining a consistent interior appearance. Both options are also available in commercially FR rated styles for contract projects.





RO LLER SH AD ES




RO MA N SH AD ES



PA NE L TR AC KS



SK YLIGHT TR AC KS





# **FABRICATION METHODS**

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

### PRODUCT SPECIFICATIONS

FR Morelle L/F

FR Morelle B/O

COMPOSITION 100% Polyester

ROLL WIDTH \_\_\_\_\_ 118"

ROLL LENGTH 33 yd

WEIGHT / YD<sup>2</sup> ...... 4.86 oz /yd<sup>2</sup>

COLOR FASTNESS ...... 4.5 (AATCC 16-2003)

100% Polyester

118"

33 yd

9.43 oz /yd²

 $.018" \pm 5\%$ 

4.5 (AATCC 16-2003)

## CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

# CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19

FLAME RETARDANT

OEKO-TEX® STANDARD 100

FREE OF HARMFUL CHEMICALS UL GREENGUARD GOLD

HEALTHY INDOOR AIR QUALITY ROHS COMPLIANT

FREE OF HARMFU METALS 10 YEAR WARRANTY

QUALITY GUARANTEED ASTM G-21 & E-2180

BACTERIA & FUNGAL RESISTANCE **NFPA**® 701-TM

FIRE RETARDAN